

Advil's Children & Infants Dosing Chart

For children's relief you can trust, find the right dose on the chart below.




Please read label for complete product information.

Advil Pediatric Drops

Usual dose:

Shake well before using. Use only with enclosed oral syringe. Doses below may be repeated every 6-8 hours while symptoms persist, up to 3 doses a day, or as directed by a doctor. If possible use weight to dose; otherwise use age. Do not use longer than 3 days for a fever or 5 days for pain relief.

Do not use more than the recommended amount.

Age	Weight		Dosage	
	(kg)	(lbs)		
0-3 months	2.5-5.4	5.5-11.9	Talk to a doctor	
4-11 months	5.5-7.9	12-17.5	1 mL	
12-23 months	8.0-10.8	18-23	1.4 mL	
2-3 years	10.9-15.9	24-35	3 mL	

Advil's Children & Infants Dosing Chart

Children's Advil Suspension Liquid

Usual dose:

Shake well before using. Doses below may be repeated every 6-8 hours while symptoms persist, up to 3 doses a day, or as directed by a doctor. If possible use weight to dose; otherwise use age. Do not use longer than 3 days for a fever or 5 days for pain relief.

Do not use more than the recommended amount.

Age	Weight		Dosage	
(yrs.)	(kg)	(lbs)		
<2	Under 10.9	Under 24	Use Advil Pediatric Drops	
2-3	10.9-15.9	24-35	1¼ teaspoons = 6 mL	
4-5	16.0-21.3	36-47	2 teaspoons = 10 mL	
6-8	21.4-26.7	48-59	2½ teaspoons = 12.5 mL	
9-10	26.8-32.5	60-71	3 teaspoons = 15 mL	
11-12	32.6-43.0	72-95	3¾ teaspoons = 19 mL	






Advil's Children & Infants Dosing Chart

Junior Strength Advil

Usual dose:

Doses below may be repeated every 6-8 hours while symptoms persist, up to 4 doses a day, or as directed by a doctor. If possible use weight to dose; otherwise use age. Do not use longer than 3 days for a fever or 5 days for pain relief.

Do not use more than the recommended amount.

Age (yrs.)	Weight		Dosage	
	(kg)	(lbs)		
<2	Under 10.9	Under 24	Use Advil Pediatric Drops	
2-3	10.9-15.9	24-35	1	
4-5	16.0-21.3	36-47	1½	
6-8	21.4-26.7	48-59	2	
9-10	26.8-32.5	60-71	2½	
11-12	32.6-43.0	72-95	3	

This product may not be right for your child. Always read and follow the label.

The information provided above does not substitute medical advice. Consult your Healthcare Professional or Pharmacist for more information.

This site is intended for Canadian residents only. Copyright ©2026 Haleon group of companies. All rights reserved. Trademarks are owned by or licensed to the Haleon group of companies.